






CERA

Cera Sanitaryware Limited

Corporate Office:

7th & 8th Floors, B Wing, Privilon, Ambli BRTS Road, Iskcon Crossroads, Ahmedabad - 380059 Tel.: +91 79 49112222 Email: tiles@cera-india.com, internationalsales@cera-india.com

www.cera-india.com





x**2400**mm x**1800**mm x**1600**mm




What soothes your senses and feels like a fresh breeze? It is CERA Summer Collection. A refreshing take on beauty and elegance presented through enchanting designs that make your surroundings look forever fresh and new. Feel the splash of vibrant shades and the cool finishes around you to fill your spaces with an enlivening aura. Available in Slabs, Digital Glazed Vitrified tiles, Wall tiles and Parking tiles for both walls and floors. CERA Summer Collection is like a dip into the pool of coolest summer trends and styles to rejuvenate your ambience.


SURFACE SURROUNDED BY ETERNAL GLORY












Cera brings a magnificent range of superior surfaces with the Slab that redefines the style of a space with its poised and appealing designs.



The colossal surfaces of the ArchRock Collection are synonymous with luxury, radiance, and upscale living to design your spaces class-apart and truly matchless. These surfaces are specially designed to give your spaces the essence of grandeur and eliteness paired with unprecedented features, functionality, versatility, and elegance.

We believe in living life king size and with this belief, we offer grand-sized surfaces to create larger-than-life spaces that deliver a sense of surreality and luxury



TECHNICAL FEATURE

The luxurious collection is exceptionally rich in features too to evolve spaces as functional as they are lavish. Resistant to scratches, stains, heat, frost, and more the surfaces are ideal for use in kitchen and other spaces requiring resistance from modernday use adversities. They are resistant to impacts, easy to clean, and non-porous resisting microbial growth.





EDGE PROFILES

SLAB tiles designs are available in glossy and matt finishes and different types of edge profiles to expand your design options. Offering unmatched durability with no maintenance, easy-care convenience, and superior stain resistance, we back our surfaces with a transferable Full Lifetime Warranty to ensure years of flawless service.





Hygienic and Suitable for Contact with Food



Impact Resistant Surface



Scratch and Abrasion Resistant



Water Resistant Surface



Resistant to **UV** Rays



Resistant to Chemicals, Acids, Bases, and Solvents



Stain Resistant Surface



Resistant to Mould, Mildew, And Fungus



Easy to Clean Surface



Resistant to Fire and Heat



Frost Resistant Surface



Flatness and Stability Over Time

















































800 x 2400 mm	14
1200 x 1800 mm	22
800 x 1600 mm	58

SURFACE SURROUNDED BY ETERNAL GLORY

A home is no more a necessity but it is a reflection of one's status, personality & taste. Therefore, the demand for premium quality vitrified tiles with beautiful designs and perfect craftsmanship has increased by leaps & bounds. CERA presents a unique collection of Glazed Vitrified Tiles to fulfill the ever-expanding needs and expectations of the Indian consumer. CERA range of Glazed Vitrified Tiles in an extensive array of exclusive designs in the all sizes available through a wide distribution network.






FULL BODY




COLOR BODY















SOLO BROWN SOLO BLACK FINISH: LUSTROUS FINISH: LUSTROUS


T391602NA


T391601NA



IS .









ARTHUR WHITE FOUNTAIN WHITE FINISH: LUSTROUS FINISH: LUSTROUS **COLOR BODY**



T391608NA T391016NA





FOUNTAIN BLACK

FINISH: LUSTROUS

24



ROYAL SATVARIO

FINISH: LUSTROUS




LITHOS CREMA

FINISH: LUSTROUS



SILVER POTRO


FINISH: LUSTROUS




25

T391622NA T391621NA

T391201NA T391620NA







LUSTROUS INFINITY







VEGAS CREMA



CALROS IVORY



CALROS

SILVER

BETON

NATURAL

LAMIERE SILVER



LAMIERE BEIGE







CRYTALO WHITE



DIALOGO



HOLLIS GREY

LUSTROUS



ONYX ALICANTE



DYNA CLASSIC



OTTOMAN SILVER

PLUSH INFINITY



ROYAL SATVARIO



BRITTLE WHITE



SOFIA CARRARA




ATLAS GOLD



TRIGLAV WHITE



SICILIA GREY










CORTEN WHITE

FINISH: **LUSTROUS INFINITY**



T381222NA




VEGAS CREMA

FINISH: **LUSTROUS INFINITY**



CALROS **IVORY**

FINISH: LUSTROUS INFINITY




T381239NA



CALROS SILVER

FINISH: LUSTROUS INFINITY



T381240NA

T381241NA 32








LAMIERE SILVER

FINISH: LUSTROUS INFINITY



T381219NA



LAMIERE BEIGE

FINISH: LUSTROUS INFINITY



T381220NA

1200x1800 MM







PEARL WHITE

FINISH: LUSTROUS INFINITY



T381255NA



CRYTALO WHITE

FINISH: LUSTROUS INFINITY



T381256NA







DIALOGO

FINISH: LUSTROUS INFINITY



T381223NA





BETON NATURAL

FINISH: LUSTROUS INFINITY



T381221NA



HOLLIS GREY

FINISH: LUSTROUS INFINITY



T381242NA










ONYX ALICANTE

FINISH: LUSTROUS



T381247NA





DYNA CLASSIC

FINISH: LUSTROUS



T381246NA



OTTOMAN SILVER

FINISH: LUSTROUS



T381248NA







ROYAL SATVARIO

FINISH: **PLUSH INFINITY**



T381249NA



BRITTLE WHITE

FINISH: **PLUSH INFINITY**





T381253NA










SOFIA CARRARA

FINISH: **PLUSH INFINITY**



T381250NA



TRIGLAV WHITE

FINISH: **PLUSH INFINITY**



T381217NA



ATLAS GOLD

FINISH: **PLUSH INFINITY**



T381251NA



SICILIA GREY

FINISH: **PLUSH INFINITY**



T381252NA
























Turquoise Galaxy Chanel Peacock Lurex Rugs

Teton Ash

Keswik Silver

Petra Camel













Marmor

Turbine Grey

Holli Grey


LUSTROUS













Cilith Olive

Glacier Bianco

Glacier Natural

Amaze Satvario

Bruges White Satvario Decent

Bruges Beige















Havana Grey

PLUSH INFINITY

Carviar Bianco













Marmol Ivory


Lava Beige

Himalaya White


































T331054NA




























T331103NA








T331101NA T331102NA

800x1600 MM















800x1600 MM






















T331042NA




800x1600 MM
























TECHNICAL SPECIFICATION







T331088NA



T331086NA

GRANDE SLAB									
Sr. No.	Properties	Test Method	IS 15622:2017 Group - B I a	CERA VALUE					
DIMENSION & SURFACE QUALITY									
1	Deviation in Length and Width	IS 13630 Part-1	± 0.10%	± 0.10%					
2	Deviation in Thickness	IS 13630 Part-1	± 5.0%	± 4.0%					
3	Straightness of Sides	IS 13630 Part-1	± 0.10%	± 0.10%					
4	Diagonal Variation or Rectangularity	IS 13630 Part-1	± 0.10%	± 0.10%					
5	Surface Flatness	IS 13630 Part-1	± 0.50%	± 0.15%					
6	Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects					
PHYSICAL PROPERTIES									
7	Water Absorption	IS 13630 Part-2	Avg.≤ 0.08 % Ind-0.1 %	Avg.≤ 0.05 %					
8	MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm² Ind32 N/mm²	Avg. 38 N/mm²					
9	Breaking strength	IS 13630 Part-6	Thickness< 7.5mm-700N Thickness≥ 7.5mm-1300N	Thickness< 7.5mm-700 N Thickness≥ 15mm, 2200N					
10	Abrasion Resistance (Unglazed Tiles)	IS 13630 Part-11	Min. Class II	Min. Class II					
11	MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5					
12	Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2					
13	Moisture Expansion	IS 13630 Part-3	0.02mm/m	0.02 mm/m					
14	Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min					
15	Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.					
16	Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.					
17	Frost Resistance	IS 13630 Part-10	Resistant	No damage					
18	Linear Thermal Expansion	IS 13630 Part-4	6X10 ⁻ 6 K ⁻ 1 Max.	6X10 ⁻ 6 K ⁻ 1 Max.					
CHEMICAL PROPERTIES									
19	Resistance to Household chemical	IS 13630 Part-8	Min. AA	Min. AA					
20	Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1					

Sr. No.	Product	Nominal Size	No of Tiles/Box	Approx Covering Area
01	Grande Slab	800x2400 mm	1 Pcs.	1.92 Sq.Mtr
02	Grande Slab	1200x1800 mm	2 Pcs.	4.32 Sq.Mtr
03	Grande Slab	800x1600 mm	2 Pcs.	2.56 Sq.Mtr







Construction Chemicals

A range of Stylefix Construction Chemicals.







- Tiles Adhesive TA01F
- Tiles Adhesive TA02 Grey
- Tiles Adhesive TA02 White
- Slab Tile / Stone Adhesive TA03 Grey
- Slab Tile / Stone Adhesive TA03 Grey White
- Unifix TA04

- Cement Grout
- Epoxy Based Tile Grout
- Epoxy Tile Grout 2 Part
- Grout Admix
- Tile Cleaner
- Tile Spacer
- Tile Equalizer











Join Our Mason Club and **Enjoy Exclusive Rewards!**

LIVE NOW







FOLLOW THE INSTRUCTION FOR RECTANGULAR/SQUARE CUTTING




 Ensure that at least 5 mm space is left between the edge of the slab and the point where the hole has to be made. The radius of the corners must be a minimum of 3 mm.



 Angles cut without necessary radius length create a stress point, whereas the large radius maintains the structural resistance. Make sure to never leave the corners with 90° angle cuts.




• Use a drill bit 3 to 5 mm to drill corners of the cut-out.



 Use a bridge saw running to cut from one hole to the next. Ensure the bridge saw is running at minimum speed to decrease the stress on the slab.

OTHER INSTRUCTIONS




 When cutting a "U" shaped piece, mark and drill relief holes where the cut lines intersect, always make the


FOLLOW THE INSTRUCTION FOR ROUND CUTTING




• Use the sticky tape and pen to mark a circle.



• Start at an angle of 45 degree slowly.




 Angle drill to vertical position 90 degree once round trace made.



Slow down speed for exit

WHAT TO AVOID

- Never cut the tile without using water
- Never cut the tiles without laying on sand carpet
- Never cut the tiles at a fast speed.



When cutting an "L" countertop, drill relief holes where the cut lines intersect, always make the shortest cut first.



Cera Sanitaryware Limited

Corporate Office:

Regional Offices:

Ahmedabad: 2nd Floor, B Block, The Acropolis Mall, S.G. Highway, Thaltej, Ahmedabad 380054,

Tel: +91 9033008905, 9033008906 Email: css.ahmedabad@cera-india.com

Bengaluru: 1st & 2nd Floors, AXIS Samruddhi-12, No. 12,15th Cross, JP Nagar, 4th Phase, 100 Feet Ring Road, Near Dalmiya Signal, Bengaluru 560078, Tel: + 080 42123295 Email: css.bangalore@cera-india.com

Chennai: 10 Square Mall, 2nd Floor, West Wing, 100 Feet Road, #64, Jawaharlal Nehru Road, Koyambedu, Chennai 600107, Tel: +91 44 48649884, 48609885 Email: chennai@cera-india.com

Delhi & NCR: 801, Bhikaji Cama Bhawan, Bhikaji Cama Place, New Delhi 110066, Tel: +91 11 46574105, 46574106 Email: delhi@cera-india.com

Hyderabad: Plot # 643, 3rd & 4th Floor, Mytri Heights, Adjacent Madhapur Metro Station, Road # 36, Jubilee Hills, Hyderabad 500033, Tel: +91 7229073737 Email: hyderabad@cera-india.com

Jaipur: 1st Floor, KK², C-11, Prithviraj Road, C Scheme, Ashok Nagar, Jaipur 302001

Kochi: 1st Floor, Bay Pride Towers & Mall, Marine Drive, Kochi 682031, Tel: +91 484 4052213, 2365440 Email: cochin@cera-india.com

Kolkata: Tirumala 22, Unit - 3A, 3rd Floor, 22 Topsia Road (East), Kolkata 700046, Tel: +91 33 22850130 Email: css.kolkata@cera-india.com

Kozhikode: 29/1275, "Payyeri House" MLA Road, Kottooli P.O, Kozhikode 673016, Tel: +91 495 4012525 Email: calicut@cera-india.com

Lucknow: 3rd Floor, Plot 146-147, Near Bhootnath Metro Station, Sector-5, Faizabad Road, Indira Nagar, Lucknow 226016.

Mohali: Plot No. 33-C, Industrial Estate, JLPL, Sector 82, Mohali 140306, Tel: 0172 2733101 Email: chandigarh@cera-india.com

Morbi: Laxmi Ceramic Compound, Near Tajpar Char Rasta, NH 8-A, Morbi 363642, Tel: +91 7600008729

Mumbai: 7 & 8, Woodrow Building, Veera Desai Road, Andheri (West) Mumbai 400053, Tel: 022 40116070 Email: mumbai@cera-india.com

Pune: Plot No. 490/B, CTS No. 1115, Bhamburda, Ganesh Khind Road, Pune 411005,

Thiruvananthapuram: 1st Floor, SFS Pyramid, TC 97/2139(97), Near MGM School, Thampuran Mukku, NH Bypass, Karimanal P. O., Thiruvananthapuram 695583, Tel: +91 471 3512056 Email: trivandrum@cera-india.com



Ahmedabad: 2nd Floor, B Block, The Acropolis Mall, S.G. Highway, Thaltej, Ahmedabad 380054,

Tel: +91 9033008905, 9033008906 Email: bathstudio_ahd@cera-india.com

Bengaluru: 1st & 2st Floors, AXIS Samruddhi-12, No. 12,15th Cross, JP Nagar, 4th Phase, 100 Feet Ring Road, Near Dalmiya Signal, Bangalore 560078

Chennai: 10 Square Mall, 2nd Floor, West Wing, 100 Feet Road, #64, Jawaharlal Nehru Road, Koyambedu, Chennai 600107, Tel: +91 44 48649884, 48609885

Hyderabad: Plot # 643, 3^{rd} & 4^{th} Floor, Mytri Heights, Adjacent Madhapur Metro Station, Road # 36, Jubilee Hills, Hyderabad 500033, Tel: +917229073737, +914029880622 Email: css.hyderabad@cera-india.com

Jaipur: 1st Floor, KK², C-11, Prithviraj Road, C Scheme, Ashok Nagar, Jaipur 302001

Kochi: 1st Floor, Bay Pride Towers & Mall, Marine Drive, Kochi 682031, Tel: +91 484 4052213, 2365440 Email: cochin@cera-india.com

Kolkata: Tirumala 22, Unit - 3A, 3rd Floor, 22 Topsia Road (East), Kolkata 700046, Tel: +91 33 22850130 Email: css.kolkata@cera-india.com

Lucknow: 3rd Floor, Plot 146-147, Near Bhootnath Metro Station, Sector-5, Faizabad Road, Indira Nagar, Lucknow 226016.

Mohali: Plot No. 33-C, Industrial Estate, JLPL, Sector 82, Mohali 140306, Tel: 0172 2733101 Email: chandigarh@cera-india.com

Morbi: Laxmi Ceramic Compound, Near Tajpar Char Rasta, NH 8-A, Morbi 363642, Tel: +91 7043301227

Mumbai: 7, Woodrow Building, Veera Desai Road, Andheri (West) Mumbai 400053, Email: mumbai@cera-india.com

Pune: Plot No. 490/B, CTS No. 1115, Bhamburda, Ganesh Khind Road, Pune 411005,

Thiruvananthapuram: 1st Floor, SFS Pyramid, TC 97/2139(97), Near MGM School, Thampuran Mukku, NH Bypass, Karimanal P.O., Thiruvananthapuram 695583, Tel: +91 471 3512056 Email:trivandrum@cera-india.com

Export enquiry: internationalsales@cera-india.com

Regd. Office & Works: 9, GIDC Industrial Estate, Kadi 384440, District Mehsana, North Gujarat Tel: +91 2764 243000, 242329

 $Email: kadi@cera-india.com\ For\ Customer\ Care: Toll\ Free: 1800\ 258\ 5500\ Email: ceracare@cera-india.com$

Online: www.cera-india.com/service-request For Export Enquiry: internationalsales@cera-india.com

Disclaimer: The colours of tiles shown in this catalogue are as accurate as the limitations of printing. Customers are requested to check actual sample before placing orders. Every effort has been made to ensure the accuracy of the specifications and other information given in this catalogue. However, the comany reserves the right to change the specification without prior notice.





Scan & Find Cera Gallery Near You